


# Classic Brush

→ ENTRANCE MAT • INDOOR & OUTDOOR



407 22 26 82 55

[www.mhservices.ro](http://www.mhservices.ro)

## → WHY CHOOSE THIS MAT?

Classic Brush mats feature extra-course nylon fibers blended with traditional nylon carpet fibers. This duo of fibers is designed to create excellent scraping and wiping action for maximum soil-stopping power.

- Coarse nylon fibers combined with traditional solution dyed fibers create excellent scraping and wiping action for **maximum soil reduction**
- **LUTRADUR™ primary substrate** will not fray, reduces linting and provides a strong bond between the rubber and carpet
- **The rubber backing** prevents curling and cracking in all types of weather
- The rubber is **Phthalate free** and consists of **34% post-industrial recycled** content in the **rubber** to further reduce the impact on the environment

## → SPECIFICATIONS

<b>Material</b>	Rhodia Solution Dyed Nylon, Type 6,6 Continuous Filament, Type 6 Nylon
<b>Backing</b>	<ul style="list-style-type: none"><li>• <b>Carpet weight:</b> 895 g/m<sup>2</sup></li><li>• <b>Primary Backing:</b> 100% recycled PET non-woven</li><li>• <b>Rubber backing:</b> 100% nitrile rubber for maximum oil resistance, durability, and performance. Compression-molded with reinforced borders on all four sides. There is 34% post industrial recycled content in the polymer.</li></ul>
<b>Border</b>	<ul style="list-style-type: none"><li>• <b>Thickness:</b> 2.5 mm</li><li>• <b>Width:</b> 2 cm</li></ul>
<b>Other properties</b>	<ul style="list-style-type: none"><li>• <b>Thickness:</b> 1.5 mm</li><li>• <b>Pile height:</b> 10 mm</li><li>• <b>Total weight:</b> 2,16 kg/m<sup>2</sup></li></ul>
<b>Colour</b>	Onyx Brush
<b>Recommended use</b>	Recommended for indoor use at entryways where more aggressive scraping/wiping action is desired to remove dirt, sand, and moisture from shoes to prevent tracking.



## → STANDARD SIZES

60 x 85	75 x 85	85 x 115	85 x 150
85 x 300	115 x 180	115 x 200	115 x 240
115 x 250	115 x 300	150 x 200	150 x 240
150 x 300			

**Max. length:** 550 cm

**Size Tolerance:** +/- 2%

## → COLOUR



Onyx Brush

## → CLEANING INSTRUCTIONS



### **Classic Brush mats can be cleaned in several different ways:**

1. They can be commercially laundered (see Laundering Instructions)
2. Vacuumed regularly (daily in high-traffic areas; weekly in lower-traffic applications)
3. Cleaned with an extractor and laid flat to dry

Mats should always be dry before they are placed back in service and cooled before rolling.

### **Laundering Instructions**

1. Flush, 2-3 Min. on a medium water level with a maximum temperature of 49 °C
2. Flush (optional), 2-3 Min. on a medium water level with a maximum temperature of 49 °C
3. Break, 2-3 Min. on a high water level with a maximum temperature of 49 °C
4. Rinse, 2 Min. on a high water level with cold temperature
5. Rinse, 2 Min. on a high water level with cold temperature
6. Extract on low speed, 1-2 Min
7. Shakeout (rotate the wheel at wash speed with the drain open), 1 Min
8. Extract on low speed, 3-5 Min
9. Dry, 5-10 Min. with a maximum basket temperature of 82 °C
10. Cooldown, 5 Min

### **Additional recommendations**

- For Heavy Soiled Mats, increase the temperature up to max. 60 °C
- The wash or rinse baths should have a pH between 6 and 9.5; use low pH non-ionic detergents.
- Do not overdry mats; Basket-temperature of the dryer should not exceed 82 °C
- If mats are not dried, the final rinse can be increased to 60 °C. This will reduce moisture retention following extraction
- Lay mats flat following removal from washer; allow mats to cool before rolling